

## CLAIMS

The claims stand as listed without current amendment.

Claim 1. (Original) A process for use in a database system, comprising:  
receiving a query for data in the database system;  
determining if one or more resources are accessed in response to the query;  
tracking an amount of usage of the accessed one or more resources; and  
storing an indication of the tracked amount of usage.

Claim 2. (Original) The process of claim 1, further comprising communicating the indication to a routine for calculating a royalty.

Claim 3. (Original) The process of claim 1, wherein determining if the one or more resources are accessed comprises determining if at least one of a user-defined data type, user-defined data type method, and user-defined function is accessed.

Claim 4. (Original) The process of claim 1, wherein storing the indication comprises storing the indication in a data dictionary.

Claim 5. (Original) An article comprising at least one storage medium containing instructions that when executed cause a database system to:  
receive a query for data in the database system;  
determine if one or more resources are accessed in response to the query;  
track an amount of usage of the accessed one or more resources; and  
store an indication of the tracked amount of usage.

Claim 6. (Original) The article of claim 5, wherein the instructions when executed cause the database system to further communicate the indication to a routine for calculating a royalty.

**Claim 7. (Original)** The article of claim 5, wherein the instructions when executed cause the database system to determine if the one or more resources are accessed by determining if at least one of a user-defined data type, user-defined data type method, and user-defined function is accessed.

**Claim 8. (Original)** The article of claim 5, wherein the instructions when executed cause the database system to store the indication in a data dictionary.

**Claim 9. (Original)** A process for use in a database system, comprising:  
storing data according to a user-defined data type in the database system;  
tracking usage of the user-defined data type; and  
storing an indication of the tracked usage.

**Claim 10. (Original)** The process of claim 9, further comprising communicating the indication to a routine for calculating a royalty.

**Claim 11. (Original)** The process of claim 9, further comprising providing a flag to indicate whether usage of the user-defined data type is to be tracked.

**Claim 12. (Original)** The process of claim 11, further comprising accessing the flag in response to a query for creating a table that contains an attribute according to the user-defined data type.

**Claim 13. (Original)** The process of claim 12, further comprising receiving the query, the query comprising a Structured Query Language CREATE TABLE statement.

**Claim 14. (Original)** The process of claim 11, wherein providing the flag comprises storing the flag in a table of a data dictionary.

Claim 15. (Original) The process of claim 14, further comprising:  
storing data according to second user-defined data type; and  
storing a second flag associated with the second user-defined data type in the  
table to indicate whether to track usage of the second user-defined data type.

Claim 16. (Original) The process of claim 11, wherein providing the flag  
comprises providing the flag having a state set to one of at least two values, a first value  
indicating tracking of usage of the user-defined data type, and a second value indicating  
tracking of usage of the user-defined data type and methods associated with the user-  
defined data type.

Claim 17. (Original) The process of claim 9, further comprising:  
providing a method associated with the user-defined data type;  
tracking usage of the method; and  
storing a second indication of the tracked usage of the method.

Claim 18. (Original) The process of claim 17, wherein storing the indications  
comprises storing the indications in a data dictionary.

Claim 19. (Original) The process of claim 18, wherein storing the indications  
comprises storing the indications in respective tables in the data dictionary, the tables  
comprising a first table containing information defining the user-defined data type, and a  
second table containing information defining the method.

Claim 20. (Original) The process of claim 17, further comprising:  
providing a user-defined function; and  
tracking usage of the user-defined function.

Claim 21. (Original) The process of claim 20, further comprising:  
associating an authorization code with at least one of the user-defined data type,  
method, and user-defined function; and  
using the authorization code to determine if access of the at least one user-defined  
data type, method, and user-defined function is allowed.

Claim 22. (Original) An article comprising at least one storage medium  
containing instructions that when executed cause a database system to:  
track usage of a user-defined data type object, the user-defined data type object  
comprising at least one of a user-defined data type attribute and a user-defined data type  
method; and  
store an indication of usage of the user-defined data type object.

Claim 23. (Original) The article of claim 22, wherein the instructions when  
executed cause the database system to further communicate the indication to a module for  
calculating royalty based on the indication of usage.

Claim 24. (Original) The article of claim 22, wherein the indication comprises a  
count, and wherein the instructions when executed cause the database system to further  
increment the count each time a table is created containing the user-defined data type  
attribute.

Claim 25. (Original) The article of claim 22, wherein the indication comprises a  
count, and wherein the instructions when executed cause the database system to further  
increment the count each time the user-defined data type method is invoked.

Claim 26. (Original) The article of claim 22, wherein the instructions when  
executed cause the database system to store the indication in a data dictionary.

Claim 27. (Original) The article of claim 26, wherein the instructions when executed cause the database system to further provide a flag in the data dictionary to indicate that usage of the user-defined data type object is to be tracked.

Claim 28. (Original) The article of claim 27, wherein the instructions when executed cause the database system to further access the flag each time a table containing the user-defined data type attribute is created.

Claim 29. (Original) The article of claim 27, wherein the instructions when executed cause the database system to further access the flag each time the user-defined data type method is invoked.

Claim 30. (Original) The article of claim 29, wherein the instructions when executed cause the database system to further track usage of a user-defined function.

Claim 31. (Original) A database system, comprising:  
a storage subsystem to store a table; and  
a controller adapted to:  
    create the table containing an attribute according to a user-defined data type, and  
    update an indication representing usage of the user-defined data type in response to creating the table.

Claim 32. (Original) The database system of claim 31, wherein the controller is adapted to further:  
    create a second table containing another attribute according to the user-defined data type, and  
    update the indication in response to creating the second table.

Claim 33. (Original) The database system of claim 32, wherein the indication comprises a count incremented by the controller.

Claim 34. (Original) The database system of claim 31, the storage subsystem to store a data dictionary,  
the indication contained in the data dictionary.

Claim 35. (Original) The database system of claim 34, wherein the data dictionary further contains a flag indicating that the user-defined data type is to be tracked.

Claim 36. (Original) The database system of claim 31, wherein the controller is adapted to further:

create a second table containing an attribute according to a second user-defined data type, and

update a second indication representing usage of the second user-defined data type in response to creating the second table.

Claim 37. (Original) The database system of claim 31, further comprising plural access modules to access plural portions of the table in parallel.

Claim 38. (Original) The database system of claim 31, further comprising a method associated with the user-defined data type,  
the controller adapted to track usage of the method.

Claim 39. (Original) The database system of claim 38, wherein the controller is adapted to track usage of the method by incrementing a count in response to each innovation of the method.

Claim 40. (Original) The database system of claim 38, further comprising a user-defined function, the controller adapted to track usage of the user-defined function.